

| Multi-Element Resources Classification, Tonnage and Grade | | | | | | | | | | Contained Metal | | | | |
|---|--------------------|----------------|--------------------------|--------------------------------------|-------------|-------------|------------|--------------------------------------|-----------|-----------------|------------|-------------------------------------|------------------------------------|----------|
| Cut-off (U ₃ O ₈ ppm) ¹ | Classification | M tonnes Mt | TREO ² ppm | U ₃ O ₈ ppm | LREO ppm | HREO ppm | REO ppm | Y ₂ O ₃ ppm | Zn ppm | TREO Mt | HREO Mt | Y ₂ O ₃ Mt | U ₃ O ₈ M | Zn Mt |
| <i>Kvanefjeld - February 2015</i> | | | | | | | | | | | | | | |
| 150 | Measured | 143 | 12,100 | 303 | 10,700 | 432 | 11,100 | 978 | 2,370 | 1.72 | 0.06 | 0.14 | 95.21 | 0.34 |
| 150 | Indicated | 308 | 11,100 | 253 | 9,800 | 411 | 10,200 | 899 | 2,290 | 3.42 | 0.13 | 0.28 | 171.97 | 0.71 |
| 150 | Inferred | 222 | 10,000 | 205 | 8,800 | 365 | 9,200 | 793 | 2,180 | 2.22 | 0.08 | 0.18 | 100.45 | 0.48 |
| 150 | Grand Total | 673 | 10,900 | 248 | 9,600 | 400 | 10,000 | 881 | 2,270 | 7.34 | 0.27 | 0.59 | 368.02 | 1.53 |
| 200 | Measured | 111 | 12,900 | 341 | 11,400 | 454 | 11,800 | 1,048 | 2,460 | 1.43 | 0.05 | 0.12 | 83.19 | 0.27 |
| 200 | Indicated | 172 | 12,300 | 318 | 10,900 | 416 | 11,300 | 970 | 2,510 | 2.11 | 0.07 | 0.17 | 120.44 | 0.43 |
| 200 | Inferred | 86 | 10,900 | 256 | 9,700 | 339 | 10,000 | 804 | 2,500 | 0.94 | 0.03 | 0.07 | 48.55 | 0.22 |
| 200 | Grand Total | 368 | 12,100 | 310 | 10,700 | 409 | 11,200 | 955 | 2,490 | 4.46 | 0.15 | 0.35 | 251.83 | 0.92 |
| 250 | Measured | 93 | 13,300 | 363 | 11,800 | 474 | 12,200 | 1,105 | 2,480 | 1.24 | 0.04 | 0.10 | 74.56 | 0.23 |
| 250 | Indicated | 134 | 12,800 | 345 | 11,300 | 437 | 11,700 | 1,027 | 2,520 | 1.72 | 0.06 | 0.14 | 101.92 | 0.34 |
| 250 | Inferred | 34 | 12,000 | 306 | 10,800 | 356 | 11,100 | 869 | 2,650 | 0.41 | 0.01 | 0.03 | 22.91 | 0.09 |
| 250 | Grand Total | 261 | 12,900 | 346 | 11,400 | 440 | 11,800 | 1,034 | 2,520 | 3.37 | 0.11 | 0.27 | 199.18 | 0.66 |
| 300 | Measured | 78 | 13,700 | 379 | 12,000 | 493 | 12,500 | 1,153 | 2,500 | 1.07 | 0.04 | 0.09 | 65.39 | 0.20 |
| 300 | Indicated | 100 | 13,300 | 368 | 11,700 | 465 | 12,200 | 1,095 | 2,540 | 1.34 | 0.05 | 0.11 | 81.52 | 0.26 |
| 300 | Inferred | 15 | 13,200 | 353 | 11,800 | 391 | 12,200 | 955 | 2,620 | 0.20 | 0.01 | 0.01 | 11.96 | 0.04 |
| 300 | Grand Total | 194 | 13,400 | 371 | 11,900 | 471 | 12,300 | 1,107 | 2,530 | 2.60 | 0.09 | 0.21 | 158.77 | 0.49 |
| 350 | Measured | 54 | 14,100 | 403 | 12,400 | 518 | 12,900 | 1,219 | 2,550 | 0.76 | 0.03 | 0.07 | 47.59 | 0.14 |
| 350 | Indicated | 63 | 13,900 | 394 | 12,200 | 505 | 12,700 | 1,191 | 2,580 | 0.87 | 0.03 | 0.07 | 54.30 | 0.16 |
| 350 | Inferred | 6 | 13,900 | 392 | 12,500 | 424 | 12,900 | 1,037 | 2,650 | 0.09 | 0.00 | 0.01 | 5.51 | 0.02 |
| 350 | Grand Total | 122 | 14,000 | 398 | 12,300 | 506 | 12,800 | 1,195 | 2,570 | 1.71 | 0.06 | 0.15 | 107.45 | 0.31 |

¹There is greater coverage of assays for uranium than other elements owing to historic spectral assays. U₃O₈ has therefore been used to define the cutoff grades to maximise the confidence in the resource calculations.

²Total Rare Earth Oxide (TREO) refers to the rare earth elements in the lanthanide series plus yttrium.

Note: Figures quoted may not sum due to rounding.

| Multi-Element Resources Classification, Tonnage and Grade | | | | | | | | | | Contained Metal | | | | |
|---|--------------------|----------------|--------------------------|--------------------------------------|--------------|-------------|---------------|--------------------------------------|--------------|-----------------|-------------|-------------------------------------|------------------------------------|-------------|
| Cut-off (U ₃ O ₈ ppm) ¹ | Classification | M tonnes Mt | TREO ² ppm | U ₃ O ₈ ppm | LREO ppm | HREO ppm | REO ppm | Y ₂ O ₃ ppm | Zn ppm | TREO Mt | HREO Mt | Y ₂ O ₃ Mt | U ₃ O ₈ M | Zn Mt |
| Sørensen - March 2012 | | | | | | | | | | | | | | |
| 150 | Inferred | 242 | 11,000 | 304 | 9,700 | 398 | 10,100 | 895 | 2,602 | 2.67 | 0.10 | 0.22 | 162.18 | 0.63 |
| 200 | Inferred | 186 | 11,600 | 344 | 10,200 | 399 | 10,600 | 932 | 2,802 | 2.15 | 0.07 | 0.17 | 141.28 | 0.52 |
| 250 | Inferred | 148 | 11,800 | 375 | 10,500 | 407 | 10,900 | 961 | 2,932 | 1.75 | 0.06 | 0.14 | 122.55 | 0.43 |
| 300 | Inferred | 119 | 12,100 | 400 | 10,700 | 414 | 11,100 | 983 | 3,023 | 1.44 | 0.05 | 0.12 | 105.23 | 0.36 |
| 350 | Inferred | 92 | 12,400 | 422 | 11,000 | 422 | 11,400 | 1,004 | 3,080 | 1.14 | 0.04 | 0.09 | 85.48 | 0.28 |
| Zone 3 - May 2012 | | | | | | | | | | | | | | |
| 150 | Inferred | 95 | 11,600 | 300 | 10,200 | 396 | 10,600 | 971 | 2,768 | 1.11 | 0.04 | 0.09 | 63.03 | 0.26 |
| 200 | Inferred | 89 | 11,700 | 310 | 10,300 | 400 | 10,700 | 989 | 2,806 | 1.03 | 0.04 | 0.09 | 60.48 | 0.25 |
| 250 | Inferred | 71 | 11,900 | 330 | 10,500 | 410 | 10,900 | 1,026 | 2,902 | 0.84 | 0.03 | 0.07 | 51.36 | 0.20 |
| 300 | Inferred | 47 | 12,400 | 358 | 10,900 | 433 | 11,300 | 1,087 | 3,008 | 0.58 | 0.02 | 0.05 | 37.09 | 0.14 |
| 350 | Inferred | 24 | 13,000 | 392 | 11,400 | 471 | 11,900 | 1,184 | 3,043 | 0.31 | 0.01 | 0.03 | 20.65 | 0.07 |
| Project Total | | | | | | | | | | | | | | |
| 150 | Measured | 143 | 12,100 | 303 | 10,700 | 432 | 11,100 | 978 | 2,370 | 1.72 | 0.06 | 0.14 | 95.21 | 0.34 |
| 150 | Indicated | 308 | 11,100 | 253 | 9,800 | 411 | 10,200 | 899 | 2,290 | 3.42 | 0.13 | 0.28 | 171.97 | 0.71 |
| 150 | Inferred | 559 | 10,700 | 264 | 9,400 | 384 | 9,800 | 867 | 2,463 | 6.00 | 0.22 | 0.49 | 325.66 | 1.38 |
| 150 | Grand Total | 1010 | 11,000 | 266 | 9,700 | 399 | 10,100 | 893 | 2,397 | 11.14 | 0.40 | 0.90 | 592.84 | 2.42 |

¹There is greater coverage of assays for uranium than other elements owing to historic spectral assays. U₃O₈ has therefore been used to define the cutoff grades to maximise the confidence in the resource calculations.

²Total Rare Earth Oxide (TREO) refers to the rare earth elements in the lanthanide series plus yttrium.

Note: Figures quoted may not sum due to rounding.

Competent Person Statement – Mineral Resources and Ore Reserves

The information in this report that relates to Mineral Resources is based on information compiled by Mr Robin Simpson, a Competent Person who is a Member of the Australian Institute of Geoscientists. Mr Simpson is employed by SRK Consulting (UK) Ltd (“SRK”), and was engaged by Greenland Minerals and Energy Ltd (now known as Energy Transition Minerals Ltd) on the basis of SRK’s normal professional daily rates. SRK has no beneficial interest in the outcome of the technical assessment being capable of affecting its independence. Mr Simpson has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the ‘Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves’. Robin Simpson consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

The information in the statement that relates to the Ore Reserves Estimate is based on work completed or accepted by Mr Damien Krebs of Greenland Minerals and Energy Ltd and Mr Scott McEwing of SRK Consulting (Australasia) Pty Ltd.

Damien Krebs is a Member of The Australasian Institute of Mining and Metallurgy and has sufficient experience that is relevant to the type of metallurgy and scale of project under consideration, and to the activity he is undertaking, to qualify as Competent Persons in terms of The Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code, 2012 edition). The Competent Persons consent to the inclusion of such information in this report in the form and context in which it appears.

Scott McEwing is a Fellow and Chartered Professional of The Australasian Institute of Mining and Metallurgy and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration, and to the activity he is undertaking, to qualify as Competent Persons in terms of The Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code, 2012 edition). The Competent Persons consent to the inclusion of such information in this report in the form and context in which it appears.

The mineral resource estimate for the Kvanefjeld Project was updated and released in a Company Announcement on February 12th, 2015. The ore reserve estimate was released in a Company Announcement on June 3rd, 2015. There have been no material changes to the resource estimate, or ore reserve since the release of these announcements.